

Amendments to the Claims:**BEST AVAILABLE COPY**

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (Currently amended): A film-bitumen combination comprising at least three layers wherein said at least three layers comprise a bituminous layer and at least two film layers made from different materials and said at least two film layers comprise a first film layer and a second film layer are produced from a polyolefin, polypropylene, polyamide, polyethylene terephthalate (PET), or polyacrylonitrile, said first film layer being located further away from said bituminous layer and having a larger coefficient of elongation than said second film layer.

Claim 2 (Original): The combination according to claim 1, wherein said at least two film layers have different coefficients of thermal expansion.

Claims 3-6 (Canceled).

Claim 7 (Previously presented): The combination according to

claim 1, wherein at least one of said at least two film layers is produced from polyethylene terephthalate (PET) and the PET layer is oriented.

Claim 8 (Canceled).

Claim 9 (Currently amended): The combination according to claim 1, wherein said at least two film layers are laminated to a said bituminous layer individually or together.

Claim 10 (Original): The combination according to claim 9, wherein said bituminous layer is coated on said at least two film layers.

Claim 11 (Original): The combination according to claim 9, wherein at least one film layer facing the bituminous layer provides a mineral oil barrier.

Claim 12 (Original): The combination according to claim 9, wherein at least one edge of part of said at least two film layers projects beyond the bituminous layer.

Claim 13 (Original): The combination according to claim 9, wherein at least one edge of part of said at least two film layers is shorter than the bituminous layer.

Claim 14 (Original): The combination according to claim 13, wherein said at least one edge is on the layers facing away from the bituminous layer.

Claim 15 (Original): The combination according to claim 9, further comprising a surface of a side of the combination facing away from the bituminous layer that has been treated to have non-slip properties.

Claim 16 (Original): The combination according to claim 15, wherein the non-slip treatment is carried out by means of coating.

Claim 17 (Original): The combination according to claim 16, wherein the coating is applied to be shorter than the film layers or the bituminous layer at least along one edge of the combination.

Claim 18 (Original): The combination according to claim 15, wherein the non-slip treatment is carried out by means of at least

partial embossing of said surface.

Claim 19 (Original): The combination according to claim 18, wherein the embossing is shorter at least along one edge of the combination.

Claim 20 (Original): The combination according to claim 15, wherein the non-slip treatment is provided by a coextruded syndiotactic polystyrene (SPS) film.

Claim 21 (Original): The combination according to claim 15, wherein the non-slip treatment is provided by a thermoplastic elastomer with a metallocene complex.

Claim 22 (Original): The combination according to claim 1, wherein each individual film layer is arranged in the combination in accordance with its thermal stability.

Claim 23 (Original): The combination according to claim 1, wherein each individual film layer is arranged in the combination according to its mechanical strength.

Claim 24 (Original): The combination according to claim 1, further comprising a tie layer or an adhesive disposed between two adjacent layers of said at least two film layers.

Claim 25 (Original): The combination according to claim 1, further comprising a barrier layer against mineral oils, oxygen or UV radiation disposed between two adjacent layers of said at least two film layers.

Claim 26 (Original): The combination according to claim 25, wherein said barrier layer comprises a layer of lacquer.

Claim 27 (Canceled).

Claim 28 (Original): The combination according to claim 9, wherein said bituminous layer has a surface facing away from said at least two film layers and a release liner is provided on said surface.

Claim 29 (Original): The combination according to claim 28, wherein said release liner comprises a release paper or a release film.

Claim 30 (Original): The combination according to claim 28, wherein the release liner is coated with silicone.

Claim 31 (Original): The combination according to claim 28, wherein the release liner has several sections.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- BLACK BORDERS
- IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT OR DRAWING
- BLURRED OR ILLEGIBLE TEXT OR DRAWING
- SKEWED/SLANTED IMAGES
- COLOR OR BLACK AND WHITE PHOTOGRAPHS
- GRAY SCALE DOCUMENTS
- LINES OR MARKS ON ORIGINAL DOCUMENT
- REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.